


Surgical Power, IncTM




ORTHOPEDIC SURGICAL BURS AND BLADES

574-267-8207

Surgical Power, IncTM


SAGITTAL BLADES (Hall® / Linvatec® Type)




446-016
.4x10.0x16.0 mm




446-441C
.4x14.0x41.0 mm




446-141
.4x9.5x41.0 mm




446-522
.4x5.0x22.0 mm




446-432C
.4x14.0x32.0 mm



446-528
.4x5.0x28.0 mm



446-434
.4x4.0x34.0 mm




446-535
.4x5.0x35.0 mm

Surgical Power, IncTM


SAGITTAL BLADES (Hall® / Linvatec® Type)




446-541C
.4x15.0x41.0 mm




446-925
.4x9.5x25.5 mm




446-618
.4x5.5x18.5 mm




446-926
.4x9.5x25.5 mm




446-625C
.4x6.5x25.5 mm



446-927C
.4x19.0x25.0 mm




446-634
.4x6.0x34.0 mm




446-941
.4x19.0x41.0 mm

Surgical Power, IncTM


SAGITTAL BLADES (Hall® / Linvatec® Type)



446-941C
.4x19.0x41.0 mm




546-141
.5x11.0x41.0 mm




546-128C
.5x11.0x28.0 mm

Surgical Power, IncTM


SAGITTAL BLADES (Hall® / Linvatec® Type)




646-415C
.6x14.0x15.5 mm




646-907
.6x9.5x7.5 mm



646-509C
.6x5.5x9.0 mm



646-913
.6x9.5x13.5 mm




646-518C
.6x5.5x18.0 mm

Surgical Power, IncTM

OSCILLATING BLADES (Hall® / Linvatec® Type)




438-012
.4x10.0x12.0 mm



438-071
.4x14.0x30.0 mm



438-018
.4x10.0x18.5 mm



438-072
.4x18.0x30.0 mm



438-035
.4x10.0x35.0 mm



438-127
.4x10.0x27.0 mm



438-070
.4x9.0x22.0 mm




438-127C
.4x10.0x27.0 mm

Surgical Power, IncTM

OSCILLATING BLADES (Hall® / Linvatec® Type)




438-512
.4x5.5x14.0 mm




438-528
.4x5.5x28.5 mm




438-512D
.64x5.8x12.0 mm



438-926
.4x19.0x25.5 mm



438-518
.4x5.5x18.5 mm



438-928
.4x9.7x28.5 mm

Surgical Power, IncTM

RECIPROCATING BLADES (Hall® / Linvatec® Type)




040-220
.4x8.0x25.0 mm



440-726
.4x7.0x26.0 mm




040-726
.4x8.0x25.0 mm



440-738
.4x7.0x38.0 mm




040-738
.4x7.0x38.0 mm




640-016
.6x6.0x15.0 mm

Surgical Power, IncTM


RECIPROCATING BLADES (Hall® / Linvatec® Type)




640-017
.6x4.0x15.0 mm



640-038
.6x6.0x40.0 mm



640-021
.6x6.0x30.0 mm



640-050
.6x4.0x8.0 mm




640-023
.6x4.0x30.0 mm




640-051
.6x4.0x17.0 mm

Surgical Power, IncTM


RECIPROCATING BLADES (Hall® / Linvatec® Type)




640-052
.6x6.0x25.0 mm



640-075
.6x6.0x15.0 mm




640-053
.6x7.0x25.0 mm



640-102
.6x2.0x10.0 mm




640-054
.4x7.0x25.0 mm



640-512
.6x2.0x11.0 mm

Surgical Power, IncTM


SAGITTAL BLADES (3M® / Linvatec® Type)




MK-121
.71x6.4x15.8 mm




MK-125
.71x15.0x15.8 mm




MK-122
.71x6.4x31.8 mm




MK-131
.38x6.4x15.8 mm




MK-123
.71x10.2x15.8 mm



MK-132
.38x6.4x31.8 mm




MK-124
.71x10.2x31.8 mm




MK-133
.38x10.2x15.8 mm

Surgical Power, IncTM


SAGITTAL BLADES (3M® / Linvatec® Type)



MK-134
.38x10.2x31.8 mm




MK-136
.64x10.2x23.8 mm




MK-135
.38x15.0x15.8 mm

Surgical Power, IncTM


SAGITTAL BLADES (3M® / Linvatec® Type)




MK-141
.71x6.4x14.2 mm




MK-145
.71x15.0x15.8 mm




MK-142
.71x6.4x31.8 mm




MK-146
.40x19.0x30.8 mm




MK-143
.71x10.2x15.8 mm



MK-147
.40x14.0x27.4 mm




MK-144
.71x10.2x31.8 mm




MK-148
.40x10.2x27.4 mm

Surgical Power, IncTM


SAGITTAL BLADES (3M® / Linvatec® Type)




MK-149
.40x19.1x44.0 mm




MK-154
.40x9.5x45.8 mm



MK-151
.40x6.4x15.8 mm




MK-155
.40x14.0x45.8 mm



MK-152
.40x6.4x31.8 mm




MK-156
.40x9.9x10.0 mm




MK-153
.40x10.2x15.8 mm

Surgical Power, IncTM


OSCILLATING BLADES (Stryker® Type)




296-051
.38x6.5x18.5 mm




296-105
.38x9.0x18.5 mm




296-101
.38x9.0x9.9 mm




296-106
.38x13.0x34.5 mm




296-102
.38x16.5x18.5 mm




296-108
.38x13.0x39.0 mm




296-103
.38x7.0x15.0 mm



296-111
.38x9.0x25.0 mm



296-104
.38x16.5x34.5 mm



296-114
.38x7.0x18.5 mm

Surgical Power, IncTM


OSCILLATING BLADES (Stryker® Type)



277-101
.38x4.8x31.8 mm




277-411
.38x9.5x12.0 mm



277-102
.38x5.6x25.4 mm




277-412
.38x5.6x18.5 mm



277-103
.38x9.5x25.4 mm



277-413
.38x9.5x18.5 mm



277-104
.38x11.3x25.4 mm



277-414
.38x5.6x25.4 mm



277-410
.38x5.6x12.0 mm

Surgical Power, IncTM


OSCILLATING BLADES (Stryker® Type)



496-410
.38x5.6x12.0 mm



496-413
.38x9.5x18.5 mm




496-411
.38x9.5x12.0 mm



496-414
.38x5.6x25.4 mm




496-412
.38x5.6x18.5 mm



496-415
.38x9.5x31.8 mm

Surgical Power, IncTM


SAGITTAL BLADES (Stryker® Type)



434-105
.38x9.5x20.3 mm



434-115
.38x7.1x27.9 mm




434-106
.38x12.8x35.8 mm




434-125
.38x9.5x27.9 mm

Surgical Power, IncTM


SAGITTAL BLADES (MicroAire® Type)




200-001
.25x12.7x19.8 mm



200-008
.25x8.1x21.6 mm



200-005
.25x6.9x19.8 mm




200-009
.25x10.2x11.9 mm



200-006
.25x4.1x15.0 mm



200-010
.25x10.2x8.6 mm




200-007
.25x4.1x15.0 mm



200-011
.25x8.1x6.4 mm

Surgical Power, IncTM


SAGITTAL BLADES (MicroAire® Type)




200-012
.25x9.1x9.1 mm




200-017
.25x5.3x21.1 mm




200-013
.25x12.7x29.0 mm



200-018
.25x10.2x18.5 mm




200-014
.25x7.4x14.7 mm




200-019
.25x7.1x29.0 mm

Surgical Power, IncTM

OSCILLATING BLADES (MicroAire® Type)



200-701
.25x10.7x11.2 mm




200-709
.25x9.9x9.1 mm



200-702
.25x10.2x11.2 mm




200-710
.25x9.9x8.6 mm



200-703
.25x12.7x16.8 mm



200-712
.25x9.7x9.7 mm



200-707
.25x9.7x11.4 mm



200-713
.25x8.6x6.4 mm




200-708
.25x9.7x11.4 mm

Surgical Power, IncTM


RECIPROCATING BLADES (MicroAire® Type)




140-001
.4x25.0x33.0 mm




140-004
.5x12.7x47.0 mm



140-002
.4x38.0x46.0 mm




140-006
.5x40.0x47.0 mm



140-003
.5x12.7x28.0 mm

Surgical Power, IncTM

BUR GUARDS



005-091
(Medium)

-used with
51/54 mm
burs



005-092
(Long)

-used with
70 mm
burs

Bur guards designed to fit:

Hall® Micro 100 & Micro Drill, 3M® Drills, and Minos Air Drill

**Replaceable Sleeve & Bearing construction for extended bur guard life.*

**Bearing is typically replaceable assuming there is no damage to bur guard housing.*






040-200

Stainless Steel Bur & Blade Cleaning Brush

Surgical Power, IncTM



WIRE PASS DRILLS

(Hall® / Zimmer® / Linvatec® / 3M® Type)

| | <i>SIZE</i> | <i>NUMBER</i> |
|---|-------------|---------------|
|  | 1.0 x 54 | 638-54 |
|  | 1.5 x 54 | 637-54 |
|  | 2.0 x 54 | 651-54 |
















Oval Burs

(Hall® / Zimmer® / Linvatec® / 3M® Type)

| | <i>HEAD SIZE</i> | <i>54 mm Length</i> | <i>70 mm Length</i> |
|---|------------------|---------------------|---------------------|
|  | 4.0 | 627-54 | 627-70 |
|  | 5.5 | 644-54 | 644-70 |














Surgical Power, IncTM

DIAMOND BURS (Hall® / Zimmer® / Linvatec® / 3M® Type)

| | HEAD SIZE | 54 mm Length | 70 mm Length |
|---|------------|-----------------|-----------------|
|  | 0.5 | 5005-54 | 5005-70 |
|  | 0.7 | 5007-54 | 5007-70 |
|  | 0.8 | 5008-54 | 5008-70 |
|  | 1.0 | 502-54 | 502-70 |
|  | 1.5 | 503-54 | 503-70 |
|  | 2.0 | 504-54 | 504-70 |
|  | 2.5 | 505-54 | 505-70 |
|  | 3.0 | 506-54 | 506-70 |
|  | 3.5 | 507-54 | 507-70 |
|  | 4.0 | 508-54 | 508-70 |
|  | 4.5 | 509-54 | 509-70 |
|  | 5.0 | 510-54 | 510-70 |
|  | 6.0 | 511-54 | 511-70 |
|  | 7.0 | 513-54 | 513-70 |
|  | 4.0 (Oval) | 526-54 | 526-70 |






Surgical Power, IncTM

FAST CUT BURS (Hall® / Zimmer® / Linvatec® / 3M® Type)

| | HEAD SIZE | 54 mm Length | 70 mm Length |
|---|-----------|-----------------|-----------------|
|  | 0.5 | 6005-54 | 6005-70 |
|  | 0.7 | 6007-54 | 6007-70 |
|  | 0.8 | 6008-54 | 6008-70 |
|  | 1.0 | 601-54 | 601-70 |
|  | 1.5 | 603-54 | 603-70 |
|  | 1.8 | 605-54 | 605-70 |
|  | 2.0 | 606-54 | 606-70 |
|  | 2.3 | 607-54 | 607-70 |
|  | 2.4 | 609-54 | 609-70 |
|  | 2.7 | 610-54 | 610-70 |
|  | 3.0 | 611-54 | 611-70 |
|  | 3.5 | 613-54 | 613-70 |
|  | 4.0 | 615-54 | 615-70 |

Surgical Power, IncTM
















FAST CUT BURS (Hall® / Zimmer® / Linvatec® / 3M® Type)

| | <i>HEAD SIZE</i> | <i>54 mm Length</i> | <i>70 mm Length</i> |
|---|------------------|-------------------------|-------------------------|
|  | 4.5 | 616-54 | 616-70 |
|  | 5.0 | 618-54 | 618-70 |
|  | 6.0 | 622-54 | 622-70 |
|  | 6.5 | 624-54 | 624-70 |
|  | 7.0 | 625-54 | 625-70 |

Surgical Power, IncTM















SPECIALTY BURS

(Hall® / Zimmer® / Linvatec® / 3M® Type)

| | SHAPE | HEAD SIZE (mm) | 54 mm Length | 70 mm Length |
|---|-----------|-------------------|-----------------|-----------------|
|  | Pear | 4.0 | 756-561 | 756-061 |
|  | Pear | 5.0 | 756-562 | 756-062 |
|  | Pear | 6.0 | 756-563 | 756-063 |
|  | Pear | 7.0 | 756-564 | 756-064 |
|  | Pear | 8.0 | 756-565 | 756-065 |
|  | Pineapple | 4.0 | 756-571 | 756-071 |
|  | Pineapple | 5.0 | 756-572 | 756-072 |
|  | Pineapple | 6.0 | 756-573 | 756-073 |
|  | Pineapple | 7.0 | 756-574 | 756-074 |
|  | Pineapple | 8.0 | 756-575 | 756-075 |
|  | Barrel | 4.0 | 756-581 | 756-081 |
|  | Barrel | 5.0 | 756-582 | 756-082 |
|  | Barrel | 6.0 | 756-583 | 756-083 |
|  | Barrel | 7.0 | 756-584 | 756-084 |
|  | Barrel | 8.0 | 756-585 | 756-085 |







Surgical Power, IncTM

SIDE CUTTING BURS (Hall® / Zimmer® / Linvatec® / 3M® Type)

| | SHAPE | HEAD SIZE | 51/54 mm Length | 65/70 mm Length |
|---|--------------|-----------|--------------------|--------------------|
|  | Straight | 1.0 | 647-51 | N/A |
|  | Straight | 1.5 | 648-51 | 648-70 |
|  | Tapered | 1.5 | 649-51 | N/A |
|  | Tapered | 1.7 | 650-51 | 650-70 |
|  | Tapered | 2.0 | 652-51 | 652-70 |
|  | Tapered | 2.0 | 657-51 | 657-70 |
|  | Barrel | 2.0 | 641-54 | 641-70 |
|  | Barrel | 4.0 | 645-54 | 645-70 |
|  | Serrated | 2.3 | 653-54 | N/A |
|  | Wedge | 3.1 | 636-54 | 636-65 |
|  | Wedge | 4.1 | 643-54 | 643-65 |
|  | Lindeman | 1.5 | 634-54 | 634-70 |
|  | Mini-Shannon | 2.0 | 642-54 | 642-65 |
|  | Shannon | 2.0 | 635-54 | 635-70 |

Surgical Power, IncTM

ACORN CUTTING BURS (Hall® / Zimmer® / Linvatec® / 3M® Type)


| | <i>HEAD SIZE</i> | <i>54 mm Length</i> | <i>70 mm Length</i> |
|--|------------------|-------------------------|-------------------------|
|  | 1.0 | 801-54 | 801-70 |
|  | 2.0 | 802-54 | 802-70 |
|  | 3.0 | 803-54 | 803-70 |
|  | 4.0 | 804-54 | 804-70 |
|  | 5.0 | 805-54 | 805-70 |
|  | 6.0 | 806-54 | 806-70 |

Surgical Power, IncTM


OSCILLATING BLADES WITH TRIANGULAR ARBOR (Stryker® / Ergo® / TPLO Saw Type)



437-084
.4x5x16 mm



437-902
.4x6x24 mm



437-903
.4x11x26 mm




437-099
.4x11x26 mm
(Thin Blade)




537-070
.5x11x26 mm




537-901
.5x5x31 mm



537-575
.5x8x24 mm




537-578
.5X8X14 mm
Angled



537-580
.5X16X14 mm
Angled

ANGLED
BLADES



Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|----------------------------------|---------------|------------|
| MK-121 | SAGITTAL BLADE | .71x6.4x15.8 | 25.00 |
| MK-122 | SAGITTAL BLADE | .71x6.4x31.8 | 25.00 |
| MK-123 | SAGITTAL BLADE | .71x10.2x15.8 | 25.00 |
| MK-124 | SAGITTAL BLADE | .71x10.2x31.8 | 25.00 |
| MK-125 | SAGITTAL BLADE | .71x15.0x15.8 | 25.00 |
| MK-131 | SAGITTAL BLADE | .38x6.4x15.8 | 25.00 |
| MK-132 | SAGITTAL BLADE | .38x6.4x31.8 | 25.00 |
| MK-133 | SAGITTAL BLADE | .38x10.2x15.8 | 25.00 |
| MK-134 | SAGITTAL BLADE | .38x10.2x31.8 | 25.00 |
| MK-135 | SAGITTAL BLADE | .38x15.0x15.8 | 25.00 |
| MK-136 | SAGITTAL BLADE | .64x10.2x23.8 | 25.00 |
| MK-141 | SAGITTAL BLADE | .71x6.4x14.2 | 37.55 |
| MK-142 | SAGITTAL BLADE | .71x6.4x31.8 | 37.55 |
| MK-143 | SAGITTAL BLADE | .71x10.2x15.8 | 37.55 |
| MK-144 | SAGITTAL BLADE | .71x10.2x31.8 | 37.55 |
| MK-145 | SAGITTAL BLADE | .71x15.0x15.8 | 37.55 |
| MK-146 | SAGITTAL BLADE | .40x19.0x30.8 | 37.55 |
| MK-147 | SAGITTAL BLADE | .40x14.0x27.4 | 37.55 |
| MK-148 | SAGITTAL BLADE | .40x10.2x27.4 | 37.55 |
| MK-149 | SAGITTAL BLADE | .40x19.1x44.0 | 37.55 |
| MK-151 | SAGITTAL BLADE | .40x6.4x15.8 | 37.55 |
| MK-152 | SAGITTAL BLADE | .40x6.4x31.8 | 37.55 |
| MK-153 | SAGITTAL BLADE | .40x10.2x15.8 | 37.55 |
| MK-154 | SAGITTAL BLADE | .40x9.5x45.8 | 37.55 |
| MK-155 | SAGITTAL BLADE | .40x14.0x45.8 | 37.55 |
| MK-156 | SAGITTAL BLADE | .40x9.9x10.0 | 37.55 |
| MU-335 | SAGITTAL BLADE | .25x12.7x13.5 | 25.00 |
| MU-336 | SAGITTAL BLADE | .25x12.7x20.1 | 25.00 |
| MU-337 | SAGITTAL BLADE | .38x12.7x29.2 | 25.00 |
| 005-091 | BUR GUARD (MEDIUM) | 51/54mm | 165.00 |
| 005-092 | BUR GUARD (LONG) | 70mm | 215.00 |
| 040-200 | S/S BUR AND BLADE CLEANING BRUSH | N/A | 26.00 |
| 040-220 | RECIPROCATING BLADE | .4x8x25 | 13.60 |
| 040-726 | RECIPROCATING BLADE | .4x8x25 | 13.60 |
| 040-738 | RECIPROCATING BLADE | .4x7x38 | 13.60 |
| 140-001 | RECIPROCATING BLADE | .4x25x33 | 13.60 |
| 140-002 | RECIPROCATING BLADE | .4x38x46 | 13.60 |
| 140-003 | RECIPROCATING BLADE | .5x12.7x28 | 13.60 |
| 140-004 | RECIPROCATING BLADE | .5x12.7x47 | 13.60 |
| 140-006 | RECIPROCATING BLADE | .5x40x47 | 13.60 |
| 200-001 | SAGITTAL BLADE | .25x12.7x19.8 | 14.00 |
| 200-005 | SAGITTAL BLADE | .25x6.9x19.8 | 14.00 |
| 200-006 | SAGITTAL BLADE | .25x4.1x15.0 | 14.00 |
| 200-007 | SAGITTAL BLADE | .25x4.1x15.0 | 14.00 |
| 200-008 | SAGITTAL BLADE | .25x8.1x21.6 | 14.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582

Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|-------------------|---------------|------------|
| 200-009 | SAGITTAL BLADE | .25x10.2x11.9 | 14.00 |
| 200-010 | SAGITTAL BLADE | .25x10.2x8.6 | 14.00 |
| 200-011 | SAGITTAL BLADE | .25x8.1x6.4 | 14.00 |
| 200-012 | SAGITTAL BLADE | .25x9.1x9.1 | 14.00 |
| 200-013 | SAGITTAL BLADE | .25x12.7x29.0 | 14.00 |
| 200-014 | SAGITTAL BLADE | .25x7.4x14.7 | 14.00 |
| 200-017 | SAGITTAL BLADE | .25x5.3x21.1 | 14.00 |
| 200-018 | SAGITTAL BLADE | .25x10.2x18.5 | 14.00 |
| 200-019 | SAGITTAL BLADE | .25x7.1x29.0 | 14.00 |
| 200-701 | SAGITTAL BLADE | .25x10.7x11.2 | 14.00 |
| 200-702 | SAGITTAL BLADE | .25x10.2x11.2 | 14.00 |
| 200-703 | SAGITTAL BLADE | .25x12.7x16.8 | 14.00 |
| 200-707 | SAGITTAL BLADE | .25x9.7x11.4 | 14.00 |
| 200-708 | SAGITTAL BLADE | .25x9.7x11.4 | 14.00 |
| 200-709 | SAGITTAL BLADE | .25x9.9x9.1 | 14.00 |
| 200-710 | SAGITTAL BLADE | .25x9.9x8.6 | 14.00 |
| 200-712 | SAGITTAL BLADE | .25x9.7x9.7 | 14.00 |
| 200-713 | SAGITTAL BLADE | .25x8.6x6.4 | 14.00 |
| 277-101 | OSCILLATING BLADE | .38x4.8x31.8 | 29.00 |
| 277-102 | OSCILLATING BLADE | .38x5.6x25.4 | 29.00 |
| 277-103 | OSCILLATING BLADE | .38x9.5x25.4 | 29.00 |
| 277-104 | OSCILLATING BLADE | .38x11.3x25.4 | 29.00 |
| 277-410 | OSCILLATING BLADE | .38x5.6x12.0 | 29.00 |
| 277-411 | OSCILLATING BLADE | .38x9.5x12.0 | 29.00 |
| 277-412 | OSCILLATING BLADE | .38x5.6x18.5 | 29.00 |
| 277-413 | OSCILLATING BLADE | .38x9.5x18.5 | 29.00 |
| 277-414 | OSCILLATING BLADE | .38x5.6x25.4 | 29.00 |
| 296-051 | OSCILLATING BLADE | .38x6.5x18.5 | 30.00 |
| 296-101 | OSCILLATING BLADE | .38x9.0x9.9 | 30.00 |
| 296-102 | OSCILLATING BLADE | .38x16.5x18.5 | 30.00 |
| 296-103 | OSCILLATING BLADE | .38x7.0x15.0 | 30.00 |
| 296-104 | OSCILLATING BLADE | .38x16.5x34.5 | 30.00 |
| 296-105 | OSCILLATING BLADE | .38x9.0x18.5 | 30.00 |
| 296-106 | OSCILLATING BLADE | .38x13.0x34.5 | 30.00 |
| 296-108 | OSCILLATING BLADE | .38x13.0x39.0 | 30.00 |
| 296-111 | OSCILLATING BLADE | .38x9.0x25.0 | 30.00 |
| 296-114 | OSCILLATING BLADE | .38x7.0x18.5 | 30.00 |
| 296-115 | OSCILLATING BLADE | .38x7.0x29.5 | 30.00 |
| 296-125 | OSCILLATING BLADE | .38x9.0x31.0 | 30.00 |
| 296-206 | OSCILLATING BLADE | .38x12.0x34.5 | 30.00 |
| 296-212 | OSCILLATING BLADE | .38x5.5x18.0 | 30.00 |
| 296-225 | OSCILLATING BLADE | .38x9.0x31.0 | 30.00 |
| 296-410 | OSCILLATING BLADE | .38x5.5x11.5 | 30.00 |
| 296-411 | OSCILLATING BLADE | .38x9.0x11.5 | 30.00 |
| 296-412 | OSCILLATING BLADE | .38x5.5x18.0 | 30.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582

Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|------------------------------|---------------|------------|
| 296-414 | OSCILLATING BLADE | .38x5.5x25.0 | 30.00 |
| 434-105 | SAGITTAL BLADE | .51x9.5x20.3 | 23.00 |
| 434-106 | SAGITTAL BLADE | .51x12.8x35.8 | 23.00 |
| 434-115 | SAGITTAL BLADE | .51x7.1x27.9 | 30.00 |
| 434-125 | SAGITTAL BLADE | .51x9.5x27.9 | 30.00 |
| 437-084 | OSCILLATING BLADE W/ARBOR | .4x5x16 | 65.00 |
| 437-099 | OSCILLATING BLADE W/ARBOR | .4x11x26 | 65.00 |
| 437-902 | OSCILLATING BLADE W/ARBOR | .4x6x24 | 65.00 |
| 437-903 | OSCILLATING BLADE W/ARBOR | .4x11x26 | 65.00 |
| 438-012 | OSCILLATING BLADE | .4x10x12 | 13.60 |
| 438-018 | OSCILLATING BLADE | .4x10x18.5 | 13.60 |
| 438-035 | OSCILLATING BLADE | .4x10x35 | 13.60 |
| 438-070 | CRESCENTIC OSCILLATING BLADE | .4x9x22 | 62.00 |
| 438-071 | CRESCENTIC OSCILLATING BLADE | .4x14x30 | 62.00 |
| 438-072 | CRESCENTIC OSCILLATING BLADE | .4x18x30 | 62.00 |
| 438-127 | OSCILLATING BLADE | .4x10x27 | 13.60 |
| 438-127C | OSCILLATING BLADE | .4x10x27 | 13.60 |
| 438-512 | OSCILLATING BLADE | .4x5.5x14 | 13.60 |
| 438-512D | OSCILLATING(DENVER) BLADE | .64x5.8x12 | 18.50 |
| 438-518 | OSCILLATING BLADE | .4x5.5x18.5 | 13.60 |
| 438-528 | OSCILLATING BLADE | .4x5.5x28.5 | 13.60 |
| 438-926 | OSCILLATING BLADE | .4x19x25.5 | 13.60 |
| 438-928 | OSCILLATING BLADE | .4x9.7x28.5 | 13.60 |
| 440-726 | RECIPROCATING BLADE | .4x7.0x26.0 | 42.00 |
| 440-738 | RECIPROCATING BLADE | .4x7.0x38.0 | 42.00 |
| 446-016 | SAGITTAL BLADE | .4x10x16 | 13.60 |
| 446-141 | SAGITTAL BLADE | .4x9.5x41 | 13.60 |
| 446-432C | SAGITTAL BLADE | .4x14x32 | 13.60 |
| 446-434 | SAGITTAL BLADE | .4x4x34 | 13.60 |
| 446-441C | SAGITTAL BLADE | .4x14x41 | 13.60 |
| 446-522 | SAGITTAL BLADE | .4x5.0x22 | 13.60 |
| 446-528 | SAGITTAL BLADE | .4x5x28 | 13.60 |
| 446-535 | SAGITTAL BLADE | .4x5x35 | 13.60 |
| 446-541C | SAGITTAL BLADE | .4x15x41 | 21.00 |
| 446-618 | SAGITTAL BLADE | .4x5.5x18.5 | 13.60 |
| 446-625C | SAGITTAL BLADE | .4x6.5x25.5 | 13.60 |
| 446-634 | SAGITTAL BLADE | .4x6x34 | 13.60 |
| 446-925 | SAGITTAL BLADE | .4x9.5x25.5 | 13.60 |
| 446-926 | SAGITTAL BLADE | .4x9.5x25.5 | 13.60 |
| 446-927C | SAGITTAL BLADE | .4x19x25 | 13.60 |
| 446-941 | SAGITTAL BLADE | .4x19x41 | 13.60 |
| 446-941C | SAGITTAL BLADE | .4x19x41 | 13.60 |
| 496-410 | OSCILLATING BLADE | .38x5.6x12.0 | 22.00 |
| 496-411 | OSCILLATING BLADE | .38x9.5x12.0 | 22.00 |
| 496-412 | OSCILLATING BLADE | .38x5.6x18.5 | 22.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582

Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|---------------------------|--------------|------------|
| 496-413 | OSCILLATING BLADE | .38x9.5x18.5 | 22.00 |
| 496-414 | OSCILLATING BLADE | .38x5.6x25.4 | 22.00 |
| 496-415 | OSCILLATING BLADE | .38x9.5x31.8 | 22.00 |
| 5005-54 | ROUND DIAMOND BUR | 0.5x54 | 46.00 |
| 5005-70 | ROUND DIAMOND BUR | 0.5x70 | 46.00 |
| 5007-54 | ROUND DIAMOND BUR | 0.7x54 | 46.00 |
| 5007-70 | ROUND DIAMOND BUR | 0.7x70 | 46.00 |
| 5008-54 | ROUND DIAMOND BUR | 0.8x54 | 46.00 |
| 5008-70 | ROUND DIAMOND BUR | 0.8x70 | 46.00 |
| 502-54 | ROUND DIAMOND BUR | 1.0x54 | 46.00 |
| 502-70 | ROUND DIAMOND BUR | 1.0x70 | 46.00 |
| 503-54 | ROUND DIAMOND BUR | 1.5x54 | 46.00 |
| 503-70 | ROUND DIAMOND BUR | 1.5x70 | 46.00 |
| 504-54 | ROUND DIAMOND BUR | 2.0x54 | 46.00 |
| 504-70 | ROUND DIAMOND BUR | 2.0x70 | 46.00 |
| 505-54 | ROUND DIAMOND BUR | 2.5x54 | 46.00 |
| 505-70 | ROUND DIAMOND BUR | 2.5x70 | 46.00 |
| 506-54 | ROUND DIAMOND BUR | 3.0x54 | 46.00 |
| 506-70 | ROUND DIAMOND BUR | 3.0x70 | 46.00 |
| 507-54 | ROUND DIAMOND BUR | 3.5x54 | 46.00 |
| 507-70 | ROUND DIAMOND BUR | 3.5x70 | 46.00 |
| 508-54 | ROUND DIAMOND BUR | 4.0x54 | 46.00 |
| 508-70 | ROUND DIAMOND BUR | 4.0x70 | 46.00 |
| 509-54 | ROUND DIAMOND BUR | 4.5x54 | 46.00 |
| 509-70 | ROUND DIAMOND BUR | 4.5x70 | 46.00 |
| 510-54 | ROUND DIAMOND BUR | 5.0x54 | 46.00 |
| 510-70 | ROUND DIAMOND BUR | 5.0x70 | 46.00 |
| 511-54 | ROUND DIAMOND BUR | 6.0x54 | 46.00 |
| 511-70 | ROUND DIAMOND BUR | 6.0x70 | 46.00 |
| 513-54 | ROUND DIAMOND BUR | 7.0x54 | 46.00 |
| 513-70 | ROUND DIAMOND BUR | 7.0x70 | 46.00 |
| 526-54 | OVAL DIAMOND BUR | 4.0X54 | 57.00 |
| 526-70 | OVAL DIAMOND BUR | 4.0X70 | 57.00 |
| 537-070 | OSCILLATING BLADE W/ARBOR | .5x11x26 | 65.00 |
| 537-575 | OSCILLATING BLADE W/ARBOR | .5x8x24 | 65.00 |
| 537-578 | OSCILLATING BLADE W/ARBOR | .5x8x14 | 65.00 |
| 537-580 | OSCILLATING BLADE W/ARBOR | .5x16x14 | 65.00 |
| 537-901 | OSCILLATING BLADE W/ARBOR | .5x5x31 | 65.00 |
| 546-128C | SAGITTAL BLADE | .5x11x28 | 13.60 |
| 546-141 | SAGITTAL BLADE | .5x11x41 | 13.60 |
| 6005-54 | FAST CUT BUR | 0.5x54 | 20.00 |
| 6005-70 | FAST CUT BUR | 0.5x70 | 20.00 |
| 6007-54 | FAST CUT BUR | 0.7x54 | 20.00 |
| 6007-70 | FAST CUT BUR | 0.7x70 | 20.00 |
| 6008-54 | FAST CUT BUR | 0.8x54 | 20.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582

Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|---------------------|-----------|------------|
| 6008-70 | FAST CUT BUR | 0.8x70 | 20.00 |
| 601-54 | FAST CUT BUR | 1.0x54 | 20.00 |
| 601-70 | FAST CUT BUR | 1.0x70 | 20.00 |
| 603-54 | FAST CUT BUR | 1.5x54 | 20.00 |
| 603-70 | FAST CUT BUR | 1.5x70 | 20.00 |
| 605-54 | FAST CUT BUR | 1.8x54 | 26.00 |
| 605-70 | FAST CUT BUR | 1.8x70 | 26.00 |
| 606-54 | FAST CUT BUR | 2.0x54 | 20.00 |
| 606-70 | FAST CUT BUR | 2.0x70 | 20.00 |
| 607-54 | FAST CUT BUR | 2.3x54 | 26.00 |
| 607-70 | FAST CUT BUR | 2.3x70 | 26.00 |
| 609-54 | FAST CUT BUR | 2.4x54 | 26.00 |
| 609-70 | FAST CUT BUR | 2.4x70 | 26.00 |
| 611-54 | FAST CUT BUR | 3.0x54 | 26.00 |
| 611-70 | FAST CUT BUR | 3.0x70 | 26.00 |
| 613-54 | FAST CUT BUR | 3.5x54 | 26.00 |
| 613-70 | FAST CUT BUR | 3.5x70 | 26.00 |
| 615-54 | FAST CUT BUR | 4.0x54 | 26.00 |
| 615-70 | FAST CUT BUR | 4.0x70 | 26.00 |
| 616-54 | FAST CUT BUR | 4.5x54 | 26.00 |
| 616-70 | FAST CUT BUR | 4.5x70 | 26.00 |
| 618-54 | FAST CUT BUR | 5.0x54 | 26.00 |
| 618-70 | FAST CUT BUR | 5.0x70 | 26.00 |
| 622-54 | FAST CUT BUR | 6.0x54 | 26.00 |
| 622-70 | FAST CUT BUR | 6.0x70 | 26.00 |
| 624-54 | FAST CUT BUR | 6.5x54 | 26.00 |
| 624-70 | FAST CUT BUR | 6.5x70 | 26.00 |
| 625-54 | FAST CUT BUR | 7.0x54 | 30.00 |
| 625-70 | FAST CUT BUR | 7.0x70 | 30.00 |
| 627-54 | EGG (OVAL) BUR | 4.0x54 | 29.00 |
| 627-70 | EGG (OVAL) BUR | 4.0x70 | 29.00 |
| 634-54 | LINDEMAN BUR | 1.5x54 | 35.00 |
| 634-70 | LINDEMAN BUR | 1.5x70 | 35.00 |
| 635-54 | SHANNON BUR | 2.0x54 | 29.00 |
| 635-70 | SHANNON BUR | 2.0x70 | 39.00 |
| 636-54 | WEDGE BUR | 3.1x54 | 32.00 |
| 636-65 | WEDGE BUR | 3.1x65 | 32.00 |
| 637-54 | WIRE PASS DRILL | 1.5x54 | 29.00 |
| 638-54 | WIRE PASS DRILL | 1.0x54 | 29.00 |
| 640-016 | RECIPROCATING BLADE | .6x6x15 | 42.00 |
| 640-017 | RECIPROCATING BLADE | .6x4x15 | 42.00 |
| 640-021 | RECIPROCATING BLADE | .6x6x30 | 42.00 |
| 640-023 | RECIPROCATING BLADE | .6x4x30 | 42.00 |
| 640-038 | RECIPROCATING BLADE | .6x6x40 | 42.00 |
| 640-050 | RECIPROCATING BLADE | .6x4x8 | 42.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582

Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|-----------------------|-------------|------------|
| 640-051 | RECIPROCATING BLADE | .6x4x17 | 42.00 |
| 640-052 | RECIPROCATING BLADE | .6x6x25 | 42.00 |
| 640-053 | RECIPROCATING BLADE | .6x7x25 | 42.00 |
| 640-054 | RECIPROCATING BLADE | .4x7x25 | 42.00 |
| 640-075 | RECIPROCATING BLADE | .6x6x15 | 42.00 |
| 640-102 | RECIPROCATING BLADE | .6x2x10 | 49.00 |
| 640-512 | RECIPROCATING BLADE | .6x2x11 | 49.00 |
| 641-54 | BARREL BUR | 2.0x54 | 23.00 |
| 641-70 | BARREL BUR | 2.0x70 | 26.00 |
| 642-54 | MINI-SHANNON BUR | 2.0x54 | 29.00 |
| 642-65 | MINI-SHANNON BUR | 2.0x70 | 29.00 |
| 643-54 | WEDGE BUR | 4.1x54 | 32.00 |
| 643-65 | WEDGE BUR | 4.1x65 | 32.00 |
| 644-54 | EGG (OVAL) BUR | 5.5x54 | 29.00 |
| 644-70 | EGG (OVAL) BUR | 5.5x70 | 29.00 |
| 645-54 | BARREL BUR | 4.0x54 | 32.00 |
| 645-70 | BARREL BUR | 4.0x70 | 32.00 |
| 646-415C | SAGITTAL BLADE (BENT) | .6x14x15.5 | 16.00 |
| 646-509C | SAGITTAL BLADE (BENT) | .6x5.5x9 | 16.00 |
| 646-518C | SAGITTAL BLADE (BENT) | .6x5.5x18 | 16.00 |
| 646-907 | SAGITTAL BLADE (BENT) | .6x9.5x7.5 | 19.40 |
| 646-913 | SAGITTAL BLADE (BENT) | .6x9.5x13.5 | 19.40 |
| 647-51 | STRAIGHT BUR | 1.0x51 | 18.00 |
| 648-51 | STRAIGHT BUR | 1.5x51 | 18.00 |
| 648-70 | STRAIGHT BUR | 1.5x70 | 25.00 |
| 649-51 | TAPERED BUR | 1.5x51 | 18.00 |
| 650-51 | TAPERED BUR | 1.7x51 | 25.00 |
| 650-70 | TAPERED BUR | 1.7x70 | 25.00 |
| 651-54 | WIRE PASS DRILL | 2.0x54 | 29.00 |
| 652-51 | TAPERED BUR | 2.0x51 | 22.00 |
| 652-70 | TAPERED BUR | 2.0x70 | 25.00 |
| 653-54 | SERRATED BONE DRILL | 2.3x54 | 32.00 |
| 657-51 | TAPERED BUR | 2.0x51 | 22.00 |
| 657-70 | TAPERED BUR | 2.0x70 | 26.00 |
| 756-061 | PEAR BUR | 4.0x70 | 29.00 |
| 756-062 | PEAR BUR | 5.0x70 | 29.00 |
| 756-063 | PEAR BUR | 6.0x70 | 32.00 |
| 756-064 | PEAR BUR | 7.0x70 | 36.00 |
| 756-065 | PEAR BUR | 8.0x70 | 36.00 |
| 756-071 | PINEAPPLE BUR | 4.0x70 | 35.00 |
| 756-072 | PINEAPPLE BUR | 5.0x70 | 35.00 |
| 756-073 | PINEAPPLE BUR | 6.0x70 | 35.00 |
| 756-074 | PINEAPPLE BUR | 7.0x70 | 40.00 |
| 756-075 | PINEAPPLE BUR | 8.0x70 | 40.00 |
| 756-081 | BARREL BUR | 4.0x70 | 35.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582

Surgical Power, IncTM

| PRODUCT NUMBER | DESCRIPTION | SIZE (mm) | PRICE/EACH |
|----------------|-------------------|-----------|------------|
| 756-082 | BARREL BUR | 5.0x70 | 35.00 |
| 756-083 | BARREL BUR | 6.0x70 | 35.00 |
| 756-084 | BARREL BUR | 7.0x70 | 39.00 |
| 756-085 | BARREL BUR | 8.0x70 | 45.00 |
| 756-561 | PEAR BUR | 4.0x54 | 29.00 |
| 756-562 | PEAR BUR | 5.0x54 | 29.00 |
| 756-563 | PEAR BUR | 6.0x54 | 32.00 |
| 756-564 | PEAR BUR | 7.0x54 | 36.00 |
| 756-565 | PEAR BUR | 8.0x54 | 36.00 |
| 756-571 | PINEAPPLE BUR | 4.0x54 | 35.00 |
| 756-572 | PINEAPPLE BUR | 5.0x54 | 35.00 |
| 756-573 | PINEAPPLE BUR | 6.0x54 | 35.00 |
| 756-574 | PINEAPPLE BUR | 7.0x54 | 40.00 |
| 756-575 | PINEAPPLE BUR | 8.0x54 | 40.00 |
| 756-581 | BARREL BUR | 4.0x54 | 35.00 |
| 756-582 | BARREL BUR | 5.0x54 | 35.00 |
| 756-583 | BARREL BUR | 6.0x54 | 35.00 |
| 756-584 | BARREL BUR | 7.0x54 | 39.00 |
| 756-585 | BARREL BUR | 8.0x54 | 45.00 |
| 801-54 | ACORN CUTTING BUR | 1.0x54 | 52.00 |
| 801-70 | ACORN CUTTING BUR | 1.0x70 | 52.00 |
| 802-54 | ACORN CUTTING BUR | 2.0x54 | 52.00 |
| 802-70 | ACORN CUTTING BUR | 2.0x70 | 52.00 |
| 803-54 | ACORN CUTTING BUR | 3.0x54 | 52.00 |
| 803-70 | ACORN CUTTING BUR | 3.0x70 | 52.00 |
| 804-54 | ACORN CUTTING BUR | 4.0x54 | 52.00 |
| 804-70 | ACORN CUTTING BUR | 4.0x70 | 52.00 |
| 805-54 | ACORN CUTTING BUR | 5.0x54 | 52.00 |
| 805-70 | ACORN CUTTING BUR | 5.0x70 | 52.00 |
| 806-54 | ACORN CUTTING BUR | 6.0x54 | 52.00 |
| 806-70 | ACORN CUTTING BUR | 6.0x70 | 52.00 |

(574) 267-8207

907 South 325 East - Warsaw, IN 46582